

TSP



TECHNICAL  
SAFETY  
PRODUCTS

2021



**TOOL@RREST**  
GLOBAL  
THE DROP STOPS HERE

**FALL@RREST**  
GLOBAL  
THE DROP STOPS HERE

**TECS@FE**  
GLOBAL  
THE PROTECTION STARTS HERE



# INTRODUCTION

Established in 2009, Tool@rrest Global has expanded to include the 'work at height' brand Fall@rrest Global and its 'safety and hygiene' brand Tecs@fe Global from its global headquarters in Telford, UK trading as Technical Safety Products Ltd.

We are a leading manufacturer of engineered, certificated products to protect persons, providing a complete end to end managed solution to ISO9001.

## Our mission is to make work places safer

In practice, that means we persistently and passionately develop and manufacture innovative products, training and solutions that help keep people safe.

Our innovative product solutions are delivered through a global network of long established, trained and certified distributors to our utility, offshore, telecoms, rail and construction clients.

We have a team creating new solutions, that deliver significant value to clients across a variety of applications and industries.

Safety, innovation and integrity are core values that drive our business and drive our mission to make work at height safe.

2021 sees the introduction of the Step A, B, C programme using the concept of red, amber, green colours to provide clear, simple, safe solutions.



# CONTENTS

<b>Technical Safety Products Ltd Introduction</b>	2
Contents	3
<b>Tool@rrest Global Where Did It All Start?</b>	4
Tool@rrest Global Tool Tethering Do's and Don'ts	5
<b>STEP A - TOOL TETHERING</b>	6 - 8
<b>STEP B - TOOL BELTS/BACS</b>	9 - 11
<b>STEP C - TOOL LANYARDS</b>	12 - 15
Tool@rrest Global Tethered Tool Kits	16 - 19
Tool@rrest Global Tethered Tools	20 - 23
Tool@rrest Global Drop / Hand Rail Protection	24
<b>Fall@rrest Global Introduction</b>	25 - 27
<b>STEP A - ANCHORAGE</b>	28 - 29
<b>STEP B - HARNESSES</b>	30 - 32
<b>STEP C - LANYARDS/FALL ARREST BLOCKS</b>	33 - 35
Fall@rrest Global SkySaver	36-37
Fall@rrest / Tool@rrest Global Accessories	38
Fall@rrest Global Annual Testing and Certification	39
Fall@rrest Global Training and Support	40-41
<b>Technical Safety</b> RFID Asset Management / GPS Tracking	42
<b>Tecs@fe Global Introduction</b>	43-44
Tecs@fe Global UltraGrime® Pro Wipes	45
Tecs@fe Global Washroom Dispensers	46-47
Tecs@fe Global PPE and Medical	48-49
Tecs@fe Global Hand Protection	50

# TOOL@RREST GLOBAL - WHERE DID IT ALL START?

The Tool@rrest Global tether was developed almost 10 years ago and was subject to a 12 month programme of independent testing in the University of Wolverhampton specialist Engineering Facility with over 2,500 tests completed using the Weibull distribution modulus.

This model is one of the most widely used lifetime models in reliability engineering and through this application the Tool@rrest Global tether was certified to be statistically failsafe with a failure rate of 0.00000003 in 1 million.

## WHY TOOL@RREST GLOBAL?

Because it is safe, independently tested and individually serial numbered.

Tool@rrest Global provides a complete solution for stopping tools and objects from being dropped when working at height, centring around an independently tested, statistically fail-safe tool tether encompassing an innovative range of lanyards, tool belts and tool storage equipment.

Our "Retr@fit" and self-fit tethers can uniquely be applied to almost all of your existing tools as well as being available on new tools. Used as a complete end to end system, this allows operators to effectively and safely handle tools and provide a safe storage solution when not in use or when being transported.

## THE TOOL@RREST GLOBAL DIFFERENCE...

### SAFETY:

- Built on a commitment to zero accidents.
- Tethers certified as fail-safe and exceed all current industry standards.
- All products rigorously tested and fully traceable.

### INNOVATION:

- All products based on a core range of tailored, tested work at height solutions.
- Engineered to meet exacting standards.
- Tether uniquely applicable to new and existing tools.

### SERVICE:

- Available globally through highly qualified distributors.
- Operator training and work at height advice available.

## WHY DO I NEED TO TETHER MY TOOLS?

This is an increasingly common question we are asked by clients ranging from construction companies to global blue-chip oil and gas corporations with operations spanning the globe. Dropped tools and objects can cause both serious and fatal injuries when working at height. For employers and clients, they can also mean damage to equipment and structures, costly down time, litigation, fines and loss of reputation.

## HOW BIG IS THE PROBLEM?

- Dropped objects tend to be the 2nd most common cause of workplace death.
- Many companies and government authorities now require the risk of dropped objects to be eliminated and not just managed.
- Backed by the serious financial/legal consequences at both an individual and corporate level its time to take steps A, B and C. Be safe, Tool@rrest.

## 3 SIMPLE SAFE STEPS FOR TOOL@RREST GLOBAL

STEP A	STEP B	STEP C
Establish a certified tether point on your tool	Select your certified belt/bag	Select your certified lanyard



# TOOL@RREST GLOBAL TOOL TETHERING DO'S & DON'TS

Tool@rrest Global's goal is to ensure that the correct tethering procedures are implemented for the safe handling of tools.

When selecting tethers and lanyards for tools, here are Tool@rrest Global guidelines:



## STEP A - TOOL TETHERS

- ✓ **ALWAYS** use a certified and rated tether that is suitable for the weight of the tool.
- ✓ **ALWAYS** ensure the tether is correctly fitted.
- ✓ **ALWAYS** verify the integrity of a tether prior to use looking for indications of excessive wear and tear or fatigue. (If in doubt, replace the tether).

- ✗ **DON'T** use a tether that is not certified and tested for the tool weight.
- ✗ **DON'T** tether a tool that exceeds 2.5kgs to a person or that exceeds 2.0kg to a wrist.
- ✗ **DON'T** use a tether showing wear or deterioration. This must be immediately discarded and replaced before using the tool.



## STEP C - LANYARDS

- ✓ **ALWAYS** use a lanyard that is tested and rated for the tool weight.
- ✓ **ALWAYS** inspect your lanyard prior to use looking for indications of excessive wear, failed stitching and ensure karabiners are in good clean working order. (If in question, replace the lanyard).
- ✓ **ALWAYS** ensure the lanyard at full extension will not impact workers below you.
- ✓ **ALWAYS** verify the tool's attachment point to ensure that it is strong enough to hold the tool for the full drop distance of the lanyard.
- ✓ **ALWAYS** anchor all tools weighing more than 2.5Kg to a secure, fixed and rated anchor point, never to a person.
- ✓ **ALWAYS** use a retractable lanyard where there is risk entanglement or snagging.
- ✓ **ALWAYS** transfer shock loads from a person to a rated structure whenever possible.
- ✓ **ALWAYS** ensure the total weight of person, PPE and tools attached to the body does not overload and exceed the weight limit of the fall protection system in use.

- ✗ **DON'T** ever use a tool lanyard with lower weight limits than the tool being tethered.
- ✗ **DON'T** tether a tool to a person without verifying the impact on the person's "Personal Fall Protection" (PFP) devices.
- ✗ **DON'T** attach a lanyard to a structure without verifying the strength and shock-load capability of the anchor point.
- ✗ **DON'T** modify the tool lanyard in anyway.
- ✗ **DON'T** connect more than one tool lanyard together.
- ✗ **DON'T** use a tool lanyard as a Personal Fall Protection (PFP) lanyard.
- ✗ **DON'T** connect tool lanyards to the body in situations where machinery entanglement is a concern.



If in doubt... Always check with a qualified safety professional before proceeding!

## ANY TOOL, TETHER IT WITH TOOL@RREST GLOBAL



The only certified tethering system that can be retrofit to your existing tools.

If you have employees working at height, it is now your legal requirement to prevent objects falling.

Dropped tools are a major cause of workplace injury and even fatalities. Until now, there's been no widely available, certified and tested technology to tether and secure your existing tools in every day use. You had to buy expensive, specialist new tools.

Not any more! With our Retr@fit and self-tether tethers most hand tools can be fitted with a fail-safe tether. This means your tools can now be used as part of a completely secure drop prevention system, using Tool@rrest Global lanyards, tool bags and PPE.

- No need to buy new tools.
- Compatible with most hand tools.
- Guaranteed to exceed any and all industry standards.
- Part of a complete solution for tool safety supplied by Tool@rrest Global.
- Available through a wide range of distributors globally.
- Independent third party testing.
- Evidence-backed statistical failure analysis.
- Statically, dynamically and tensile tested to in excess of 500kg - 200 x safety factor.
- Individually serial numbered for audit control.



## DROPPED TOOLS? NOW, THERE'S NO EXCUSE...

STEP A

Establish a certified tether point on your tool

+

STEP B

Select your certified belt/bag

+

STEP C

Select your certified lanyard





## STEP A | Tool@rrest Global Tool Tethering

Tool@rrest Global's self-tethering options allows your operatives to quickly and cost effectively self tether their tools with an independently tested, serial numbered and certified tethering solution. These can be fitted to your existing tools on site or in your workshop reducing down times, saving considerable cost.



### TOOL@RREST GLOBAL D-SHACKLE TETHER



Internal Width Internal Depth

Code: ST100002	5mm	10mm	14.5mm
Code: ST100003	6mm	12mm	21mm
Code: ST100004	8mm	16mm	28mm
Code: ST100005	10mm	20mm	36mm

Tool@rrest Global stainless steel D- shackle.

### TOOL@RREST GLOBAL TOGGLE CHOKE TETHER



Code: ST100050

Tool@rrest Global 270mm polyester webbing tether with stainless steel d-ring and lockable self choke toggle tether. (Spanner not included).

### TOOL@RREST GLOBAL HEAT SHRINK TETHER



Code: ST100152 24 x 50mm (tools up to 1kg)

Code: ST100153 50 x 50mm (tools up to 2.5kg)

Code: ST100155 50 x 300mm (tools up to 7.0kg)

Tool@rrest Global adhesive heat shrink loop with polyester webbing tether with stainless steel d-ring.

### TOOL@RREST GLOBAL SCREWDRIVER TETHER



Code: ST100359 6mm

Code: ST100360 8mm

Code: ST100361 10mm

Tool@rrest Global tether ring plate with lockable collar. Can also fit allen keys. Requires two locking collars.

### TOOL@RREST GLOBAL SELF ADHESIVE SILICONE TAPE AND TAIL TETHERS



Code: ST100200

Tool@rrest Global self adhesive self amalgamating silicone tape (hammer not included).

Code: ST100101 Stainless steel D-ring

Code: ST100102 Plastic D-ring

Code: ST100103 Plastic Buckle

Tool@rrest Global 150mm polyester webbing tether with d-ring/buckle.

 **STEP A** | Tool@rrest Global Tool Tethering

**TOOL@RREST GLOBAL RING TETHER**



Code: **ST100020**

Tool@rrest Global heavy duty 25mm stainless split ring for tools with captive eye.

**TOOL@RREST  
GLOBAL BATTERY  
WRAP TETHER**



Code: **TA900001**

To fit 15 x 12 x 9cm battery drill (XL)

Code: **TA900004**

To fit 12.5 x 9 x 9cm battery drill (L)

Tool@rrest Global adjustable tether wrap to fit 18V battery drill.

**TOOL@RREST GLOBAL TAPE MEASURE TETHER**



Code: **ST100300** 5m tape

Code: **ST100301** 8/10m tape

Tool@rrest Global adjustable tape measure tether wrap.

**TOOL@RREST GLOBAL ANGLE GRINDER TETHER**



Code: **TA40117**

Tool@rrest Global universal angle grinder tether to fit M8/M10 thread (please specify). Requires separate lanyard.

**TOOL@RREST GLOBAL HOT AIR GUN**



Code: **H000022** 240V

Code: **H000023** 110V

Tool@rrest Global hot air gun for use with heat shrink tethers.

**TOOL@RREST**  
GLOBAL  
THE DROP STOPS HERE

**Training videos**

Full range of  
training video's  
and powerpoint  
presentations  
available free  
of charge.





### TOOL@RREST GLOBAL WEBBING BELT



#### Code: **TABELT**

Tool@rrest Global polyester, adjustable, durable tool belt with belt loops.

### TOOL@RREST GLOBAL WEBBING BELT C/W COMFORT PADDING



#### Code: **TABELT/HD**

Tool@rrest Global polyester, padded, high comfort adjustable durable tool belt with belt loops.

### TOOL@RREST GLOBAL BELT LOOPS



#### Code: **TABL/2KA**

Tool@rrest Global polyester tool belt loops to fit tool belts.

### TOOL@RREST GLOBAL METAL HAMMER HOLDER



#### Code: **TA900015**

Tool@rrest Global stainless steel universal hammer holder to fit tool belts.

### TOOL@RREST GLOBAL DOUBLE TOOL HOLDER



#### Code: **TA500010/KA**

Tool@rrest Global polyester double tool holder to fit tool belts.

### TOOL@RREST GLOBAL TAPE MEASURE HOLDER



#### Code: **TA500011/KA**

Tool@rrest Global polyester tape measure holder for 5m tape to fit tool belts.

### TOOL@RREST GLOBAL LARGE UNIVERSAL LEVEL HOLDER



#### Code: **TA500012/KA**

Tool@rrest Global polyester large tool holder to fit tool belts.

### TOOL@RREST GLOBAL STILSON HOLDER



#### Code: **TA500014/KA**

Tool@rrest Global polyester stilson holder to fit tool belts.

### TOOL@RREST GLOBAL OPEN TETHERED POUCH



#### Code: **TA500011**

Tool@rrest Global polyester multi purpose tool pouch to fit tool belts.

### TOOL@RREST GLOBAL LARGE PARTS POUCH



#### Code: **TA500024**

Tool@rrest Global polyester large parts zipped pouch to fit tool belts.



### TOOL@RREST GLOBAL TOOL BELT KIT 3

#### Code: **TASCAFBELT03**

Tool@rrest Global black leather scaffolders belt with 5m tape measure, 7/16 scaffold spanner and 250mm torpedo level with black leather tool holders and coil lanyards.



### TOOL@RREST GLOBAL TOOL BELT KIT 4

#### Code: **TASCAFBELT04**

Tool@rrest Global black leather scaffolders belt with 5m tape measure, 250mm torpedo level, 7/16 scaffold spanner and 19 x 21mm podger spanner with black leather tool holders and coil lanyards.



### TOOL@RREST GLOBAL TOOL BELT KIT 5

#### Code: **TASCAFBELT05**

Tool@rrest Global black leather scaffolders belt with 5m tape measure, 250mm torpedo level, 7/16 scaffold spanner, 19 x 21mm podger spanner and podger hammer with black leather tool holders and coil lanyards.



### TOOL@RREST GLOBAL TOOL BELT KIT 6

#### Code: **TASCAFBELT06**

Tool@rrest Global black leather scaffolders belt with 5m tape measure, 250mm torpedo level, 7/16 scaffold spanner, 19 x 21mm podger spanner and podger hammer and 16oz claw hammer with black leather tool holders and coil lanyards.





**TOOL@RREST GLOBAL TOOL BAG**



**Code: TAX008**

Tool@rrest Global 400 x 420mm tool bag with draw cord top and adjustable shoulder straps with internal d-rings for tool security and added high visibility protection.

**TOOL@RREST GLOBAL MEWP BAG**



**Code: TA500036**

Tool@rrest Global black/blue MEWP bag with velcro fastening lid, adjustable/detachable shoulder strap, rear buckle fastening straps to fasten to railings and internal tether points for tool security.

**TOOL@RREST GLOBAL RUCKSACK**



**Code: TA400**

Tool@rrest Global 300 x 550mm black ruck sack style tool bag with draw cord top, buckle fastening lid, adjustable shoulder strap and internal d-rings for tool security with added high visibility protection.

**TOOL@RREST GLOBAL BUCKET BAG**



**Code: TA500022/A**

Tool@rrest Global heavy duty tool bucket bag with lifting rope and scaffold hook and internal lockable, captive stainless steel screwgate karabiners rated to 34kg.



**TOOL@RREST  
GLOBAL HEAVY DUTY  
COIL LANYARD**



**Code: TA40056A**

Tool@rrest Global 2m heavy duty TPU coil lanyard with stainless steel swivel captive lockable karabiners.

**TOOL@RREST  
GLOBAL STANDARD  
COIL LANYARD**



**Code: TA40057**

Tool@rrest Global 1.5m standard coil lanyard with stainless steel core and stainless steel swivel captive lockable karabiners.

**TOOL@RREST GLOBAL QUICK LANYARD**



**Code: QUICK**

Tool@rrest Global elasticated polyester webbing 0.7m lanyard with stainless steel swivel captive lockable karabiner and quick release buckle. (Requires either TALE1 or TALE3).

**TOOL@RREST GLOBAL TAIL WITH SWIVEL/TOGGLE**



**Code: TALE1**

Tool@rrest Global polyester 0.3m lanyard tail with stainless steel swivel, locking captive karabiner to fit Quick lanyard or TAWW/QC wrist wrap.



**Code: TALE3**

Tool@rrest Global polyester 0.3m lanyard tail with locking self choke toggle tether to fit Quick lanyard or TAWW/QC wrist wrap.

**TOOL@RREST GLOBAL ALL IN ONE LANYARD  
WITH SWIVEL**



**Code: TALE7/OF**

Tool@rrest Global 1m elasticated polyester webbing lanyard with stainless steel captive locking swivel karabiners.

**TOOL@RREST GLOBAL ALL IN ONE LANYARD  
WITH TOGGLE**



**Code: QUICK/TC2**

Tool@rrest Global 1m elasticated polyester webbing lanyard with stainless steel captive locking swivel karabiner one end and self choke toggle the other.



### Bespoke option

TAWL/1OF lanyard, TAWW/QC wrist wrap and HAT/LAN/C helmet lanyards can be manufactured with your own corporate branding and safety message. Minimum quantities apply.



### TOOL@RREST GLOBAL RETRACT 360



#### Code: TA40213

Tool@rrest Global auto retracting 1.3m kevlar cord lanyard with lock off feature. Can be attached to a work belt or safety harness. 360° rotation.

### TOOL@RREST GLOBAL WRIST LANYARD



#### Code: TAWW/QC

Tool@rrest Global polyester adjustable wrist wrap lanyard with plastic buckle connector. (Requires either TALE1 or TALE3).

### TOOL@RREST GLOBAL WEBBING LANYARD WITH SWIVEL



#### Code: TAWL1/OF

Tool@rrest Global 1m polyester webbing lanyard with stainless steel captive swivel lockable karabiners.

### TOOL@RREST GLOBAL RETRACT



#### Code: TA40215

Tool@rrest Global auto retracting 1.25m PU coated stainless steel wire with swivel lockable stainless steel karabiner. Can be attached to a workbelt or safety harness.

### TOOL@RREST GLOBAL LANYARD TAIL WITH SWIVEL/TOGGLE



#### Code: TALE1

Tool@rrest Global polyester lanyard tail with stainless steel swivel, locking captive karabiner to fit Quick lanyard or TAWW/QC wrist wrap.



#### Code: TALE3

Tool@rrest Global polyester lanyard tail with locking self choke toggle tether to fit Quick lanyard or TAWW/QC wrist wrap.

**TOOL@RREST GLOBAL HELMET LANYARD**



**Code: HAT/LAN/C**

Tool@rrest Global high visibility universal safety helmet lanyard.

**TOOL@RREST GLOBAL PHONE LANYARD 1**



**Code: TA500030A**

Tool@rrest Global blue silicone universal smart phone tether with card holder on rear.

**TOOL@RREST GLOBAL STAINLESS STEEL WIRE**



**Code: TAHDSL/1.5**

Tool@rrest Global 1.5m stainless steel wire complete with stainless steel captive, lockable Karabiner both ends.

**TOOL@RREST GLOBAL RADIO HOLDER**



**Code: TA500038**

Tool@rrest Global black polyester 2 way radio holder with polyester lanyard with captive stainless steel lockable Karabiner.



## STEP C | Tool@rrest Global Tool Lanyard Kits

### TOOL@RREST GLOBAL LANYARD KIT 3



#### Code: TALANKIT 3

Tool@rrest Global polyester adjustable wrist lanyard with two lanyard tails. TALE1 and TALE3 with draw cord bag.

### TOOL@RREST GLOBAL LANYARD KIT 5



#### Code: TALANKIT 5

Tool@rrest Global selection of webbing, stainless steel coil and flat webbing lanyards supplied with bucket kit bag.

### TOOL@RREST GLOBAL LANYARD KIT 7



#### Code: TALANKIT 7

Tool@rrest Global auto retracting lanyard, wrist wrap lanyard and elasticated polyester webbing lanyard and tails with draw cord bag.

### TOOL@RREST GLOBAL LANYARD/BELT KIT 8



#### Code: TALANKIT 8

Tool@rrest Global polyester, padded, adjustable tool belt with auto retracting lanyard, wrist wrap lanyards, elasticated polyester webbing lanyards and tails with draw cord bag.



# TOOL@RREST

GLOBAL

THE DROP STOPS HERE

Tool@rrest Global have teamed up with world leading hand tool manufacturers to provide a wide range of specialist hand tool kits for industrial use at height, specifically designed with our iconic independently tested Tool@rrest Global tether and certification.

Available as either individual tools or as a tool kit, Tool@rrest Global tools have been selected for precision and durability and are manufactured to the highest of standards.

Tools that have been ergonomically designed to fit into the workers hand further reducing the risk of a dropped object incident through muscle

fatigue. They are suitable for general and highly specialist work in the onshore and offshore industries globally.

Pliers, screw drivers, sledgehammers through to precision tools... we supply them all complete with certified tether and connectors that will prevent dropped tools when working at height.

## TOOL@RREST GLOBAL TETHERED TOOL KITS

Carefully constructed tool kits complete with certified traceable, patented Tool@rrest Global tethers and lanyards provide a fully secure, tested and assured system of work to help eliminate dropped tools when working at height.



# TOOL@RREST GLOBAL TETHERED TOOL KITS

## TOOL@RREST GLOBAL TOOL CHESTS

Heavy duty mobile/static 7 drawer foam lined tool chests.

- Key lockable for additional security
- Option of wheels with brakes
- Super smooth heavy duty draw sliders
- 10 year warranty on cabinet
- Foam lined drawers to organise and protect equipment
- Option for tool chest to be branded with your company details
- Durable for tough environments



Deluxe Order Code	Description	Number of Pieces
H000070A	Tool@rrest Global Derrick Maintenance Kit In Foam Lined Cabinet	141
H000073B	Tool@rrest Global Drillers Kit In Foam Lined Cabinet	115
H000076A	Tool@rrest Global Large Crane Kit In Foam Lined Cabinet	86
H000072B	Tool@rrest Global Mechanical Kit In Foam Lined Cabinet	124
H000089B	Tool@rrest Global Subsea Kit In Foam Lined Cabinet	101
H000071A	Tool@rrest Global Electrical Kit In Foam Lined Cabinet	143

## BESPOKE TOOL@RREST GLOBAL TOOL KITS AVAILABLE

Tool@rrest Global are able to provide fully customised tool kit contents and layouts to meet any application or need.


**TOOL@RREST GLOBAL TETHERED TOOL KITS**
**TOOL@RREST GLOBAL TETHERED TOOL KITS**

- Foam lined to organise and protect equipment
- Option to have branded with your company details
- Wheeled for ease of transport
- Dustproof to protect sensitive equipment
- Waterproof even when fully submerged
- Durable for tough environments



Order Code	Description	Number of Pieces
H000074	Tool@rrest Global Crane Maintenance Kit In Foam Lined ABS Case	23
H000091	Tool@rrest Global Marine Tethered Kit In Foam Lined ABS Case	41
H000075	Tool@rrest Global Offshore Training Kit In Foam Lined ABS Case	29
H000090A	Tool@rrest Global Tethered Land Rig Kit In Foam Lined ABS Case	59
H000092	Tool@rrest Global Wind Turbine Kit In Foam Lined ABS Case	73



## ▶▶▶ TOOL@RREST GLOBAL TETHERED TOOL KITS

### TOOL@RREST GLOBAL TETHERED TOOL KITS

- Heavy duty powder coated finish
- High security with fully welded seams
- Twin locking mechanism
- Recessed handles
- Option to have branded with your company details
- 512 x 482 x 405mm



Order Code	Description	Number of Pieces
TATK13	Tool@rrest Global 17 Piece Tethered Tool Kit In Steel Case	17
TATK15	Tool@rrest Global 19 Piece Tethered Tool Kit In Steel Case	19
TAGANG KIT01	Tool@rrest Global Overhead Line Tethered Tool Kit For Four Operatives (No case)	139
TALINES KIT01	Tool@rrest Global Linesman Kit C/W Holdall	15



### BESPOKE TOOL@RREST GLOBAL TOOL KITS AVAILABLE


Tool@rrest Global are able to provide fully customised tool kit contents and layouts to meet any application or need.

## TOOL@RREST GLOBAL TETHERED TOOLS

Tool@rrest Global pliers, screw drivers, sledgehammers through to precision tools...

We supply them all complete with certified tether and connectors that will prevent dropped tools when working at height when used with a Tool@rrest Global lanyard.

### TOOL@RREST GLOBAL KNIPPEX CUTTERS



Code: **TA101407**

Tool@rrest Global 20mm end cutting knipex pliers with PVC grip handle and Tool@rrest Global tether.

### TOOL@RREST GLOBAL PRO RETRACTING SAFETY KNIFE



Code: **TA101290**

### TOOL@RREST GLOBAL PODGER



Code: **TA300074C** 17mm

Code: **TA300075C** 19mm

Code: **TA300078C** 24mm

Code: **TA300080C** 30mm

Code: **TA300082C** 36mm

Tool@rrest Global open ended spanner with podger and Tool@rrest Global tether.

### TOOL@RREST GLOBAL ALLEN KEY SET



Code: **TA101220A** Metric

Code: **TA101220B** Imperial

### TOOL@RREST GLOBAL 10" STRAIGHT JAW LOCKING PLIERS



Code: **TA101199**

### TOOL@RREST GLOBAL 10MM COMBINATION RATCHET SPANNER



Code: **TA300985**

All sizes available.

### TOOL@RREST GLOBAL 20MM COMBINATION SPANNER



Code: **TA300655**

All sizes available.

### TOOL@RREST GLOBAL 10" ADJUSTABLE SPANNER



Code: **TA101252**

All sizes available.

### TOOL@RREST GLOBAL KLEIN DRIFT



Code: **TA101351** 1 1/4"

Code: **TA101352** 1 1/16"



## TOOL@RREST GLOBAL TETHERED TOOLS

### TOOL@RREST GLOBAL TAPE MEASURE



Code: **TA101241**

Tool@rrest Global 20m round fibre glass tape measure.

### TOOL@RREST GLOBAL 6" x 1" x 1½" FOX WEDGE



Code: **TA101427**

All sizes available.

### TOOL@RREST GLOBAL 14" BOLT CROPPERS



Code: **TA101421**

### TOOL@RREST GLOBAL SCREWDRIVERS



Code: **TA100988** Posi No. 2 size

Code: **TA100944** Flat 10x200mm

All sizes/screwdriver types available.

### TOOL@RREST GLOBAL 7/16" SCAFFOLD SPANNER



Code: **TA101403C**

### TOOL@RREST GLOBAL TAPE MEASURE



Code: **TA101232** 5m

Code: **TA101233** 8m

Code: **TA101234** 10m

### TOOL@RREST GLOBAL SCAFFOLD BOAT LEVEL



Code: **TA101377C**

Tool@rrest Global 9" magnetic scaffold level.

### TOOL@RREST GLOBAL 16OZ CLAW HAMMER



Code: **TA101387**

### TOOL@RREST GLOBAL TOFFEY SCAFFOLD HAMMER



Code: **TA101215**

### TOOL@RREST GLOBAL 19/21MM RATCHET SCAFFOLD SPANNER



Code: **TA101401B**

### TOOL@RREST GLOBAL 1KG CLUB HAMMER



Code: **TA101388 1kg**

Full range of branded and unbranded tools available - please enquire.



▶▶▶ **TOOL@RREST GLOBAL TETHERED VDE TOOLS**

Tool@rrest Global VDE/GS certified hand tools with heat treated chrome vanadium finish and dual compliant grip.



**TOOL@RREST GLOBAL  
5 PIECE VDE  
SCREWDRIVER SET**



Code: **VDE000030**

Tool@rrest Global 1000V insulated screwdriver set manufactured to EN60900:2012.

**TOOL@RREST GLOBAL VDE PLIER SET**



Code: **VDE00005B**

Tool@rrest Global combination long nose pliers and side cutter manufactured to EN60900:2012.

**TOOL@RREST GLOBAL INSULATED HACKSAW**



**VDE00018**

Tool@rrest Global 300mm insulated hacksaw to IEC 60900 Category C.

**TOOL@RREST GLOBAL VDE WATERPUMP PLIERS**



**VDE00007A**

Tool@rrest Global 250mm waterpump pliers to EN 60900:2012. Safe for use on up to 1000 volts.

See page 7 for metal free  
Tool@rrest Global tether  
options and page 13  
for metal free Tool@rrest  
Global wrist lanyard.



# DROPPED TOOLS? NOW, THERE'S NO EXCUSE...

## The Tool@rrest™ Global Pinned-Head Ratchet & Socket Systems

In line with the recommendations of industry bodies Tool@rrest Global provide a number of unique, specific work at height products such as the pinned sockets for ratchets and torque wrenches. Evidence shows that standard 'ball release' sockets even with the ratchet/torque wrench tethered and firmly connected to the operator, are frequently involved in dropped tool incidents because the socket can be accidentally released during every day work. In contrast, the Tool@rrest Global pinned socket system prevents this accidental disconnect and the potentially lethal impact of a falling socket.

- Traditional 'ball release' sockets present a serious risk when working at height.
- Sockets can be accidentally disengaged during every day working conditions, even if the ratchet is tethered securely.
- Tool@rrest pinned socket sets replace the exposed handle release with a recessed side release pin on the socket itself.
- Works to eliminate accidental release during ratchet operation.
- The pinned release mechanism means the socket will not disengage on impact.

### RATCHET SET

- 1/2" square drive reversible ratchets.
- Tethered with Tool@rrest™ patented tool tether.
- Fine toothed ratchet wheel with lever change and pin socket release.
- 2 x extension bars included in each kit.
- Non-slip handle.
- Chrome finished.



### SOCKETS

- Thin-walled impact socket design as standard.
- Sizes: Available in metric (10mm-32mm) and imperial (7/16" - 1 1/4" AF) 1/2" square drive.
- 3/4" square drive sockets available.
- Pinned side release.
- Distinctive black finish with chrome Tool@rrest pin.
- Secured in lockable foam-lined plastic case.

Code: **TA200001MM** Tool@rrest Global Metric ratchet set complete with Bi-hex sockets

Code: **TA200001IM** Tool@rrest Global Imperial ratchet set complete with Bi-hex sockets



Tool@rrest Global ratchets, extension bars and bi-hex sockets can be ordered separately.


▶▶▶ **TOOL@RREST GLOBAL DROP / HAND RAIL PROTECTION**

**Tool@rrest Global dropped object prevention mats, guards and hooks**

Designed to allow operatives to place tools and fixings safely when working at height to prevent them dropping through the grating or handrails.



**TOOL@RREST GLOBAL REUSABLE CABLE TIE/PIPE TIE HOOK**



**Code: TA500052**

Tool@rrest Global large, lockable reusable cable tie with 360° hook rated to 20kg.


**TOOL@RREST GLOBAL MAT SIZE 2**



**Code: TA500045**

Tool@rrest Global 1m x 1m high performance drop mat with blue high visibility reinforced edge with eyelets for securing to platform / handrails inter locking.

**TOOL@RREST GLOBAL HANDRAIL GUARD**



**Code: TA500049**

Tool@rrest Global durable, flexible, one piece, stackable light weight, robust high grade poly propylene handrail guard with built in toe board clip.

**TOOL@RREST GLOBAL MAT SIZE 1**



**Code: TA500047**

Tool@rrest Global 1m x 2m black high performance drop mat with blue high visibility reinforced edge with eyelets for securing to platform/handrails. Interlocking if required.



**FALL @RREST**  
GLOBAL  
THE DROP STOPS HERE

## FALL@RREST GLOBAL INTRODUCTION

The Fall@rrest Global range of safety harnesses and associated products have been designed, developed, manufactured and certified to EN361:2002, EN354:2002 and EN355:2002.

Stringent quality processes are adhered to throughout the ISO9001:2015 manufacturing process to ensure that only quality componentry is utilised in the production of these life critical products.

The high tenacity polyester yarns are highly resistant to UV, colour stability and wash abrasion testing.

### KEY FEATURES



Bag



Fall Indicator



Harness Information



Back Support



Rubber End Tab

### WHY FALL@RREST GLOBAL

Because it is safe, independently tested and individually serial numbered. Fall@rrest Global provides a specialist solution to prevent persons from falling when working at height across a wide range of industries. These products are rigorously tested, engineered to exacting standards, available globally through highly qualified distributors who share our commitment to a 'zero tolerance' accident free culture. Our new Step A, B, C red, amber, green safe programme of work makes Fall@rrest Global products the first choice in offshore, renewable energy, construction and rail sector of industry.

### FALL@RREST GLOBAL FLEXI

The Fall@rrest Global FLEXI products have been designed for total wearer comfort utilising specialist fibres that allows the wearer to twist and flex freely.

### FALL@RREST GLOBAL REPEL

The Fall@rrest Global REPEL products have been designed for operatives in the petrochemical and oil industry. The specialist webbing is constructed from a unique polyester webbing incorporating the REPEL technology which repels oil, dirt and water providing increased durability.

### FALL@RREST GLOBAL EXCEL

The Fall@rrest Global EXCEL products have been designed as an easy wear, superior range of harnesses providing quick release buckles and other additional features.

### 3 SIMPLE SAFE STEPS FOR FALL@RREST GLOBAL

STEP A	STEP B	STEP C
Select a certified anchor mechanism	Select an appropriate safety harness	Select a suitable lanyard / fall arrest block



## CHOOSING THE RIGHT HARNESS

Choosing the right harness can make a big difference to the levels of comfort and protection in different circumstances. We provide a wide variety of products to suit the differing working environments and risk levels, from basic protection through to specialist applications.

When choosing a harness you need to consider;

- The type of work undertaken
- The user requirements
- The comfort level required
- The number of attachment points

## WORK POSITIONING V FALL ARREST

There are two approaches to managing risk of falls, and the system used depends on the situation and the work to be undertaken.



Work positioning with fixed lanyard

### WORK POSITIONING

**Prevents the operative from getting into an unsafe working area**

Typically a fixed work positioning lanyard would be used from a fixed anchor point of a length short enough (normally 2m or less) preventing the user from coming to close to an unprotected edge.



### FALL ARREST

**Arresting a fall with the minimum impact on the operative**

Fall arrest systems allow the operative to move around freely but in the event of a fall the forces on the body are minimised through appropriate shock absorption. This can be achieved through the shock absorbing lanyards or the use of a fall arrest block.





## STEP A | Fall@rrest Global Anchorage

### FALL@RREST GLOBAL KARABINER



CE  
EN362

### FALL@RREST GLOBAL KARABINER



CE  
EN362

### Code: FA110002

Fall@rrest Global zinc-plated steel manual spring-loaded screwlock karabiner with 18mm opening.

### FALL@RREST GLOBAL SCAFFOLD HOOK



CE  
EN362

### Code: FA110006

Fall@rrest Global zinc-plated steel double action spring-loaded scaffold-style hook with 50mm opening.

### FALL@RREST GLOBAL QUICK LOCK



CE  
EN795 Class B

### Code: FA110070

Fall@rrest Global quick lock removable vertical, horizontal and overhead anchorage point for fast, easy and safe install into concrete. Rated to EN795 Class B 2000 daN. Drill 16mm hole 90mm deep to install.

### FALL@RREST GLOBAL WINDOW/DOOR ANCHOR BEAM



CE  
EN795 Class B

### Code: FA110066

Fall@rrest Global galvanised steel door anchor beam, adjustable from 350mm to 1240mm, to provide a temporary fixed anchorage point for two persons, to be used in conjunction with a fall arrest block or rope grab system.

### FALL@RREST GLOBAL RSJ ANCHOR DEVICE



CE  
EN795 Class B

### Code: FA110068

Fall@rrest Global portable anchor device for up to 6 users that can be mounted to I-Section 100-300mm wide with 10-36mm thickness.



## STEP A | Fall@rrest Global Anchorage

### FALL@RREST GLOBAL TRIPOD KIT



Code: **FA110060**

Fall@rrest Global aluminium confined space rescue tripod with 1.15m - 2.15m height adjustment to EN795 Class B with tripod kit bag, rescue harness, 20m fall arrest block and rescue winch with tripod bracket.



EN795 Class B  
EN1496  
EN360  
EN361

### FALL@RREST GLOBAL ROOF ANCHOR



EN795



Code: **FA110062**

Fall@rrest Global compact, easy assemble, freestanding roof anchor to EN795:2012 for use on flat roofs. Suitable for 2 person use in work positioning.

### FALL@RREST GLOBAL 20M HORIZONTAL SAFETY LINE



EN795



Code: **FA110065**

Fall@rrest Global adjustable triple user self-tightening 20-metre temporary horizontal abrasion-resistant safety line with two 80cm connecting slings, two twistlock karabiners and integral carrying bag to EN795.



**FALL@RREST  
GLOBAL MULTI  
PURPOSE HARNESS**



**Code: FA310020**

Fall@rest Global CORE full body safety harness with rear dorsal d-ring, chest attachment d-ring, adjustable leg, chest and shoulder straps, back support, sit strap, fall indicator to EN361:2002.

**FALL@RREST  
GLOBAL FLEXI  
HARNESS**



**Code: FA320042**

Fall@rest Global FLEXI full body elasticated harness with rear dorsal d-ring, chest attachment d-ring, adjustable leg, chest and shoulder straps, back support, sit strap, fall indicator to EN361:2002.

**FALL@RREST  
GLOBAL REPEL  
OIL RESISTANT  
HARNESS**



**Code: FA330000**

Fall@rest Global REPEL oil resistant full body safety harness with rear dorsal d-ring, chest attachment d-ring, adjustable leg, chest and shoulder straps, back support strap, sit strap, fall indicator to EN361:2002.



## STEP B | Fall@rest Global Safety Harness

### FALL@REST GLOBAL HI VIS VEST HARNESS

CE  
EN361



Code: FA320040

Fall@rest Global CORE full body safety harness with rear dorsal d-ring, two textile chest attachment points, adjustable leg, chest and shoulder straps, back support, sit strap and fall indicator to EN361:2002 in yellow high visibility, machine washable vest to EN ISO 20471.

### FALL@REST GLOBAL EXCEL HARNESS

CE  
EN361  
EN358



Code: FA320044

Fall@rest Global EXCEL full body superior safety harness with rear dorsal d-ring, sternal and two lateral d-rings, adjustable leg, waist and shoulder straps with quick release automatic buckles, cushioned seat straps, padded back support and shoulder comfort, fall indicator to EN361:2002 and EN358:2018.

### FALL@REST GLOBAL RESCUE HARNESS

CE  
EN361  
EN1497



Code: FA310028

Fall@rest Global CORE rescue full body safety harness with rear dorsal d-ring, chest attachment d-ring, extension rescue strap with d-ring, adjustable leg, chest and shoulder straps, back support, sit strap, fall indicator to EN361:2002 and EN1497.



## STEP B | Fall@rrest Global Safety Harness

### FALL@RREST GLOBAL MEWP KIT

Code: FA310022

Fall@rrest Global MEWP full body harness with rear dorsal d-ring, chest attachment d-ring adjustable leg, chest and shoulder straps, back support, sit strap, fall indicator to EN361:2002 with adjustable 2m work positioning lanyard to EN358:2000 with fall indicator, double action snap hook and double action scaffold hook.



CE  
EN361  
EN358

### FALL@RREST GLOBAL SCAFFOLDERS KIT

Code: FA310024

Fall@rrest Global SCAFFOLDER full body safety harness with rear dorsal d-ring, chest attachment d-ring, adjustable leg, chest and shoulder straps, back support, sit strap, fall indicator to EN361:2002 with adjustable 2m fall arrest shock absorbing lanyard to EN355:2002 with fall indicator, double action snap hook and double scaffold hook.



CE  
EN361  
EN355



## STEP C | Fall@rrest Global Fall Arrest / Work Positioning Lanyard

### FALL@RREST GLOBAL WORK POSITIONING LANYARD



CE  
EN358

### FALL@RREST GLOBAL FALL ARREST LANYARD



CE  
EN355

Code: FA210040

Fall@rrest Global CORE 2m adjustable webbing work positioning lanyard with fall indicator and double action snap hook and double action scaffold hook to EN358:2000.

Code: FA210038

Fall@rrest Global CORE 2m adjustable webbing fall arrest lanyard with fall indicator and double action snap hook and double action scaffold hook to EN355:2002.

### FALL@RREST GLOBAL ROPE GRAB



CE  
EN353

Code: FA210090

Fall@rrest Global robe grab fall arrestor with fall indicator, double security locking mechanism to EN353-2:2002 with energy absorber. In built gravity feature to ensure correct usage.

### FALL@RREST GLOBAL ROPE



CE  
EN353-2  
EN1891

Code: FA210092 10m

Code: FA210094 20m

Code: FA210096 30m

Fall@rrest Global 12mm synthetic kemmantle multi-braid abrasion-resistant rope safety line with double action 18mm safety hook.



## STEP C | Fall@rrest Global Fall Arrest Blocks

### FALL@RREST GLOBAL 2M FALL ARREST BLOCK

CE  
EN360



Code: FA210060

Fall@rrest Global lightweight, rugged auto retracting 2m kevlar webbing block with shock absorber, double action swivel snap hook with fall indicator to EN360:2002 for vertical and horizontal use.

### FALL@RREST GLOBAL TWIN 2M FALL ARREST BLOCK

CE  
EN360



Code: FA210062

Fall@rrest Global twin lightweight, rugged, auto retracting 2m kevlar webbing blocks with shock absorbers, double action swivel snap hooks with fall indicators to EN360:2002 for vertical and horizontal use.



## STEP C | Fall@rrest Global Fall Arrest Blocks

### FALL@RREST GLOBAL 6, 10, 15, 20 & 30m FALL ARREST BLOCKS



EN360



Code: **FA210070** 6m

Code: **FA210072** 10m

Code: **FA210074** 15m

Code: **FA210076** 20m

Code: **FA210078** 30m

Fall@rrest Global rugged auto retracting 4.5mm galvanised steel wire fall arrest blocks with built in shock absorption, swivel anchorage eye, double action snap hook with fall indicator in high impact resistance rating to EN360:2002.

### FALL@RREST GLOBAL 30M BLOCK WITH RECOVERY WINCH



EN360  
EN1496



Code: **FA210080**

Fall@rrest Global 30m rugged dual action auto retracting 4.5mm galvanised steel wire fall arrest block with built in shock absorption, swivel anchorage eye, double action snap hook with fall indicator, a winch handle to EN360:2002 and EN1496:2006 Class A. Can also be mounted on the leg of the Fall@rrest Global tripod using bracket.

The Fall@rrest Global SkySaver product range is a truly innovative solution for portable emergency evacuation utilising patented high quality controlled descent device technology for emergency evacuation.

These innovative, military grade hands free devices require virtually no training and can also be used to evacuate persons that are incapacitated or injured.

**SKYSAVER®**  
Taking Safety Higher

## LIFESAVING IN 3 STEPS



BUCKLE UP



CLIP TO ANCHOR



DESCEND

### FALL@RREST GLOBAL SKYSAVER BACK PACK RESCUE KIT



Code: SKYSAVER004

Contains an integrated harness with a controlled descent device containing fire resistant steel cable for safe evacuation from cranes, wind turbines, high buildings/structures

- Fully adjustable - one size fits all
- 30-120kg capacity
- 80m rescue length
- Descent speed 1.6m/second
- Anchor point required to EN795

CE  
EN341

### FALL@RREST GLOBAL SKYSAVER INJURED AND INCAPACITATED EVACUATION KIT

CE  
EN341



Code: SKYSAVER002

Contains an 80 metre portable controlled descent device ergonomically designed harness and anchorage accessories required to evacuate operatives to the ground from a height of 80 metres within 3 minutes in emergency situations.



**The Fall@rrest Global SkySaver Backpack looks just like a regular backpack... BUT... in fact, it's a lifesaving piece of technology that can facilitate emergency evacuation from a wide range of settings.**

Inside the Fall@rrest Global SkySaver is a patented Controlled Descent Device (CDD) that utilizes a centrifugal and friction based braking system to lower evacuees to the ground safely. Using Fall@rrest Global SkySaver, an entire rescue operation can take less than 3 minutes and eliminate the need for third party support.



### 1 - FALL@RREST GLOBAL SKYSAVER FOR CRANE OPERATORS

Incidents such as fires or equipment malfunction can leave crane operators with no means of escape. Currently, most crane evacuations are carried out with ladders, cables and ropes and involve rescuers climbing up the crane to evacuate the operator. Assistance from emergency services may also be required. The Fall@rrest Global SkySaver backpack gives crane operators a safe and effective method of self-rescue so they can evacuate without delay.



### 2 - FALL@RREST GLOBAL SKYSAVER FOR CONSTRUCTION

Many construction sites have teams working at height who could benefit from having a Fall@rrest Global SkySaver on hand. When evacuation is required, regardless of the type of accident, it is crucial that it happens quickly. Ensuring speedy rescue not only increases the likelihood of a safe outcome for those caught up in the incident, it also minimises costly downtime for contractors. By having Fall@rrest Global SkySaver's self-evacuation kits within reach, teams can self-rescue immediately.



### 3 - FALL@RREST GLOBAL SKYSAVER FOR WIND TURBINE EVACUATION

There are more than 250 fires and hundreds of emergency evacuations from wind turbines each year. Due to the uniqueness of their structure, wind turbine emergencies can be particularly difficult and can endanger the lives of wind turbine technicians. By having Fall@rrest Global SkySaver's Portable Self-Evacuation Kits in place, workers can evacuate safely and quickly.



### 4 - FALL@RREST GLOBAL SKYSAVER FOR HIGH RISE BUILDING ESCAPE

High-rise buildings can be notoriously challenging to evacuate in emergency situations. In some cases, when emergency escape routes have been blocked, escape is only possible with the help of emergency service teams. Sadly, it's not always possible for teams to reach everyone trapped inside. The Fall@rrest Global SkySaver is an excellent solution for high-rise evacuation. Whether you're ensuring the safety of those in a residential or commercial high rise, Fall@rrest Global SkySaver gives occupants a fighting chance of safe evacuation in an emergency.



### 5 - FALL@RREST GLOBAL SKYSAVER FOR RESCUE TEAMS

For rescue teams, time is of the essence. They must be able to access any location for quick and safe evacuation. A single worker, equipped with a Fall@rrest Global SkySaver IIE Portable Kit, can help to lower an injured or incapacitated co-worker to safety and medical assistance. The easy-to-use Fall@rrest Global SkySaver IIE Portable Kit, which includes a controlled descent device (CDD), portable anchoring accessories and an ergonomically designed harness, is designed to evacuate workers as high up as 80 meters above ground level within three minutes.

**FALL@RREST GLOBAL TRAUMA STRAPS**



**Code: FA1100008**

Tool@rrest Global compact, lightweight suspension trauma straps, universal fit to all harnesses.

**TOOL@RREST GLOBAL MEWP BAG**



**Code: TA500036**

Tool@rrest Global black/blue MEWP bag with velcro fastening lid, adjustable/detachable shoulder strap, rear buckle fastening straps to fasten to railings and internal tether parts for tool security.

**TOOL@RREST GLOBAL RUCKSACK**



**Code: TA400**

Tool@rrest Global 300 x 550mm black ruck sack style tool bag with draw cord top, buckle fastening lid, adjustable shoulder strap and internal d-rings for tool security with added high visibility protection.

**FALL@RREST GLOBAL CLIMBING HELMET**



**Code: FA000007**

Fall@rrest Global lightweight, high comfort ABS micropeak helmet with high comfort 6 point harness, sweatband wheel ratchet adjustment and 4 point chinstrap to EN397 and EN50365.

**TOOL@RREST GLOBAL BUCKET BAG**



**Code: TA500021/A**

Tool@rrest Global heavy duty tool bucket bag with lifting rope and scaffold hook and internal lockable, captive stainless steel screwgate karabiners rated to 34kg.

# FALL@REST GLOBAL

## ANNUAL TESTING & CERTIFICATION

The Personal Protective Equipment at Work Regulations 1992 require employers to maintain fall arrest and tool arrest equipment in good repair. In addition, the Work at Height Regulations 2005 requires that equipment which is exposed to conditions causing deterioration should be inspected 'at least twelve-monthly' although more frequent inspections is highly recommended.



There is a wide range of possible damage to fall arrest/tool arrest equipment caused by misuse and abuse, general wear and tear, edge/surface damage, ultraviolet light, dirt, grit, chemicals and heat.

As part of our ongoing commitment to the maintenance and safe use of products we provide a full retest and annual certification process for all products that we supply. These can be individually tested and a hard copy certificate issued or tagged with an RFID tag and uploaded to an online software system for clients to login and download their data as required subject to annual access fee.

Our certified engineers will test and certify your products to ensure that you comply with the Lifting Operations and Lifting Equipment Regulations (LOLER) and the Provision and Use of Work Equipment Regulations (PUWER). Regular routine testing extends the operational lifetime of your equipment and ensures compliance.

A 1 mm cut on the edge of a lanyard or harness can result in a 40% loss in the strength of the product. It is therefore essential that if fall arrest/tool arrest products are to provide the protection required, they must be kept in a good state of repair and be subject to an effective inspection regime.

Employers should set up a regime for the inspection of fall arrest/tool arrest products. This should include a record which details as follows:

- the fall arrest/tool arrest equipment to be inspected (including the unique serial numbers)
- the frequency and type of inspections (pre-use checks by the operative, monthly inspection by a competent person and detailed inspection by a third party where appropriate)
- designated competent persons/company to carry out the inspections;
- action to be taken on finding defective equipment.

Persons carrying out any inspection should be sufficiently independent and impartial to allow them to make decisions and have the authority to discard defective equipment if required.

It is recommended that there is a detailed inspection monthly particularly where the equipment is used in arduous environments involving paints, chemicals or grit blasting operations and acidic or alkaline environments.

Fall arrest/tool arrest equipment that has been used to arrest a fall should never be reused. It should be withdrawn from service immediately and destroyed or returned to the manufacturer.

# FALL@RREST GLOBAL TRAINING & SUPPORT

Fall@rest Global provide a full range of training courses written and delivered in compliance to BS 8454:2006 and produced according to ACWAHT (Advisory Committee on Work at Height Training) Syllabus either on site, at one of our nationwide Training Centres or our Head Office Training Academy.

Fall@rest Global provide a full range of global training videos and power point presentations free of charge. We have developed a wealth of industry knowledge and experience that enable us to provide a wide variety of solutions to working at height and access issues.

This is backed and supported with supporting literature and printed awareness boards that can all be made bespoke to your requirements incorporating your company logo.

## FALL@RREST GLOBAL WORK AT HEIGHT SAFETY TRAINING OF OPERATIVES

Each course content includes classroom theory, practical demonstration and detailed assessments, which if carried out satisfactorily and to the correct standard the operative will be issued with the relevant certification.

Our practical, interactive and inspiring courses are written to present the course content to the trainees in a manner that they enjoy where information is absorbed and remembered long after the buzz of the classroom recedes.

Code: FA400002

### FALL@RREST GLOBAL INTRODUCTION TO WORKING AT HEIGHT TRAINING

#### DURATION

3½ hours / half day

#### MIN/MAX DELEGATES

Min 6 / Max 12

#### PRE-COURSE REQUIREMENTS

No previous experience required

A comprehensive course aimed at enabling trainees to recognise the hazards and risks involved when working at height and also to be able to plan effectively how they will work in order to minimize those risks. The course covers all relevant legal requirements on both employers and employees



under the current legislation and also looks at safe Use of Personal Fall Protection Equipment.

#### STRUCTURE

- Introduction
- Falls from height statistics
- Overview of current legislation
- Identifying work at height
- Why falls occur
- Work at height scenarios
- Hierarchy of fall protection/risk assessment

- Selection of equipment
- Step A, B, C of fall arrest
- Rescue and suspension
- Inspection and Safe Use of basic PFPE

#### DOCUMENTATION

- Each successful candidate will receive a Training Certificate valid for 2 years
- Each successful candidate will receive an ID Card valid for 2 years

Code: FA400004

## FALL@RREST GLOBAL PFPE - SELECTION, USE AND INSPECTION TRAINING

### DURATION

3½ hours / half day

### MIN/MAX DELEGATES

Min 6 / Max 12

### PRE-COURSE REQUIREMENTS

No previous experience required

A predominantly practical course aimed at those who use Personal Fall Protection Equipment to understand how to select it, how it should be safely used, its limitations, how to inspect it both prior and after use as well as how often to carry out formally recorded inspections,



 COURSE 2

how it should be cleaned, stored and disposed of at the end of its service life. The course covers all relevant legal requirements on both employers and employees under the current legislation.

### STRUCTURE

- Introduction
- Overview of current PPE legislation
- What is PFPE
- Appropriate PFPE selection
- Pre use checks
- How to wear and use PFPE properly

- Annual inspection requirements
- PFPE disposal

### DOCUMENTATION

- Each successful candidate will receive a Training Certificate valid for 2 years
- Each successful candidate will receive an ID Card valid for 2 years
- Each delegate will receive relevant HSE Publications and a selection of forms to assist in their inspection systems

Code: FA400006

## FALL@RREST GLOBAL RESCUE TRAINING

### DURATION

7 hours / one day

### MIN/MAX DELEGATES

Min 6 / Max 8

### PRE-COURSE REQUIREMENTS

User Training - Introduction to Working at Height

A comprehensive course aimed at instructing delegates in the importance of a rescue system and the dangers of suspension in a safety harness. The content is aimed at allowing delegates to understand the requirements of rescue, the legislation that covers it and to be fully trained to be able to calmly carry out a rescue in a variety of scenarios. After rescue care is also covered to give a complete training solution to your rescue requirement.



 COURSE 3

Upon completion the candidate will be able to:

- Safely setup a rescue device
- Safely lower a casualty to safe point for evacuation
- Safely raise a casualty to safe point for evacuation

- Work restraint - revision
- Fall arrest revision
- Identifying suitable anchor points
- Rescue scenarios - lowering/ raising
- Mechanical advantages
- Suspension trauma treatment
- Casualty management

### STRUCTURE - THEORY

- Introduction
- Overview of current legislation
- Human physiology
- Suspension trauma
- Introduction to the rescue system

### DOCUMENTATION

- Each successful candidate will receive a Training Certificate valid for 2 years
- Each successful candidate will receive an ID Card valid for 2 years

### STRUCTURE - PRACTICAL

- Harness inspection/use refresher

# TECHNICAL SAFETY RFID ASSET MANAGEMENT AND GPS TRACKING

An asset management software system that has been designed to allow you to manage, inspect and receive alerts for all of your assets such as power tools, lifting equipment, PPE, access platforms, vehicles, spare parts, hand tools and other generic equipment through RFID.

## DEFINITION OF ASSETS

Including power tools, lifting equipment, PPE vehicles, parts etc.

## CHECK IN/CHECK OUT

Through RFID tagging system including serial numbers, description and images.

## ASSET PERFORMANCE

Through maintaining and tracking of maintenance/test schedules including PAT testing.

## ASSET CONTROL

Through location, department and person.

## ASSET COMPLIANCE

Including hand/arm vibration, noise levels, dust extraction, PAT testing, PPE requirements and LOLER inspections



## SYSTEM SET UP REQUIREMENTS

1. User licence
2. 12 month support package
3. User training
4. Read writer device
5. Hand scanner / app
6. RFID cable tie tag

# TECHNICAL SAFETY GPS ASSET TRACKING

IP67 waterproof, endurance tracker device with up to 10 years battery life. 77x55x27mm, 140g.

- Configurable transmission interval
- Live updates, via website / app
- Records location, movement and speed.
- Accuracy down to 50cm!
- Low monthly data cost.





## TECS@FE GLOBAL INTRODUCTION

The Tec's@fe Global range of products have been designed, developed, manufactured and certified to stringent European standards to provide a core range of dependable products to be utilised in construction, manufacturing, healthcare and hospitality globally.

### TECS@FE GLOBAL ULTRAGRIME PRO

Tecs@fe Global  
ULTRAGRIME

PRO - super strong  
XXL cloth wipes are

tough on grime and careful on skin. The Pro range includes the original multiuse product along with two new innovative products with antibacterial certification to EN13727, EN1276 and EN14476 and biodegradable certification to EN14046.



### TECS@FE GLOBAL HAND PROTECTION

Tecs@fe Global  
Core Hand  
Protection

Products utilise the red/green stop/go colour schemes for ease of identification. Manufactured from the finest of materials to ensure comfort, durability and conformity.



### TECS@FE GLOBAL HYGIENE RANGE

Tecs@fe Global hygiene range of ergonomic washroom/industrial products are manufactured to the highest standards of quality and safety. The continual investment in technology provides functional solutions to all washroom requirements in high occupancy environments.



### TECS@FE GLOBAL PPE AND MEDICAL

Tecs@fe Global PPE products have been carefully selected to provide a core range of key products manufactured to the highest standards with fully verified EN certification.



# TECS@FE GLOBAL ULTRAGRIME CLOTH WIPES



UltraGrime® cloth wipes stay wet and usable for over an hour and are tough on grime and gentle on skin.

UltraGrime® cloth wipes are BIGGER and STRONGER than any other wipes and remain wet and usable for over an hour. Whether you work in construction, manufacturing, healthcare or hospitality UltraGrime® has you covered. The tough on grime and gentle on skin formula are infused with aloe extract and vitamin E leaving your hands safe and work space clean!

## TECS@FE GLOBAL ULTRAGRIME® PRO - MULTI USE



### Code: TS UGMU

Tecs@fe Global super strong XXL 38cm x 25cm dermatologically tested cloth wipes are designed to handle any and all messes no matter your line of work. Whether you need to clean up oil, grease, ink, paint or silicones this one wipe does it all! The large absorbing capacity with its 3 in 1 action - lift, clean, protect is safe for use on all surfaces. 6/case, 360/pallet.

## TECS@FE GLOBAL ULTRAGRIME® PRO - ANTI-BAC



### Code: TS UGAB

Tecs@fe Global super strong XXL 38cm x 25cm antibacterial cloth wipes that will kill 99.999% of bacteria and viruses including Novovirus, Influenza A (HINI), Sars-Cov-2 and Corona Viruses. Use them on your tools, machinery and vehicles or any surface that you need germ and dirt free. Dual action cleaner and surface sanitiser to EN13727, EN1276 and EN14476. 6/case, 360/pallet.

## TECS@FE GLOBAL ULTRAGRIME® PRO - BIO



### Code: TS UGPRO

Tecs@fe Global super strong XXL 38cm x 25cm 100% biodegradable cloth wipes to EN14046 with all the benefits of the UltraGrime® Pro - Multi Use. The perfect solution if you have tough messes to clean but don't want to use harmful chemicals and plastic products. Do your bit for the environment use UltraGrime® Pro Bio cloth wipes. 6/case, 360/pallet.

## TECS@FE GLOBAL CLINICAL-MIDI



### Code: TS UWCM

Tecs@fe Global super strong 22cm x 20cm clinical midi antibacterial wipes that will kill 99.999% of bacteria in 30 seconds and viruses including Novovirus, Influenza A (HINI) Sars-Cov-2 and Corona Viruses. For use as hard surface disinfectant. 10/case, 600/pallet.

## TECS@FE GLOBAL WASHROOM DISPENSERS

Tough reliable ergonomic washroom dispensers, hand dryers and room fragrance dispensers manufactured from ABS to provide a complete and functional European manufactured range suited to all industries.

### TECS@FE GLOBAL MANUAL SOAP DISPENSER



#### Code: TS 1000

Tecs@fe Global ergonomic, lockable, refillable 0.8L, white, ABS, manual soap dispenser with anti drip valve and removable bulk refillable tank and consumption viewing panel. 155 (W) x 201 (H) x 115 (D)mm.

### TECS@FE GLOBAL ELECTRONIC SOAP DISPENSER



#### Code: TS 1200

Tecs@fe Global white, ABS, ergonomic, lockable, refillable 1.2L contactless electronic soap dispenser, with removable bulk refillable tank and consumption viewing panel. 126 (W) x 250 (H) x 117 (D)mm.

### TECS@FE GLOBAL C-FOLD HAND TOWEL DISPENSER



#### Code: TS 2000

Tecs@fe Global white, ABS, ergonomic, lockable, c-fold/ z-fold hand towel dispenser with consumption viewing panel. 308 (W) x 331 (H) x 149 (D)mm.

### TECS@FE GLOBAL CENTRE FEED TOWEL DISPENSER



#### Code: TS 2200

Tecs@fe Global white, ABS, ergonomic, lockable, centre feed towel dispenser with easy paper replacement feature. 255 (W) x 319 (H) x 250 (D)mm.

### TECS@FE GLOBAL TOILET ROLL HOLDER



#### Code: **TS 2300**

Tecs@fe Global white, ABS, ergonomic, lockable 300m toilet roll holder. 276 (W) x 273 (H) x 143 (D) mm.

### TECS@FE GLOBAL COMPACT HAND DRYER



#### Code: **TS 3000**

Tecs@fe Global white polycarbonate ergonomic 240V, 1800W, twin turbine compact hand dryer.

### TECS@FE GLOBAL GEL FRAGRANCE DISPENSER



#### Code: **TS 4000**

Tecs@fe Global white, ABS, ergonomic, lockable, eco friendly, organic, biodegradable, non toxic gel fragrance dispenser. 24/7 operation, covering 25m<sup>3</sup>, battery operated (1.5V IR20).

### TECS@FE GLOBAL BIODEGRADABLE NON TOXIC FRAGRANCE GEL



#### Code: **TS 4200**   **Orange**

#### Code: **TS 4400**   **Pine**

#### Code: **TS 4600**   **Mint**

#### Code: **TS 4800**   **Citrus**

Tecs@fe Global scented eco friendly, organic, biodegradable non toxic fragrance gel.

# TECS@FE GLOBAL

## PPE & MEDICAL

### TECS@FE GLOBAL TYPE IIR MEDICAL MASKS



**Code: TS 6000**

Tecs@fe Global type IIR, 3 ply high comfort medical masks to EN14683. 50/box, 2000/case.

### TECS@FE GLOBAL FFP3 FOLD FLAT DISPOSABLE MASKS



**Code: TS 6200**

FFP3 horizontal fold flat high comfort disposable mask to EN149:2001 + A1:2009. 20/box, 1000/case.

### TECS@FE GLOBAL FFP3V CUP SHAPED DISPOSABLE MASKS



**Code: TS 6300**

FFP3 cup shaped disposable high comfort mask to EN149:2001 + A1 : 2009 with valve.

### TECS@FE GLOBAL POWERED HOOD

**Code: TS 6400**

- No face fitting required
- High performance 180l/minute of filtered clean air
- Lightweight, high comfort and ergonomic
- Fully automated

Tecs@fe Global pharmaceutical/ healthcare white powered respirator hood kit including head top, waist mounted rechargeable unit, reinforced air hose, two particulate filters, flow meter, battery and charger to EN12941.



### TECS@FE GLOBAL DISPOSABLE COVERALL



### TECS@FE GLOBAL HEALTHCARE RAPID ANTIGEN COVID TEST KIT

**Code: TS 6500**

- Low invasive
- Results within 15 minutes
- Free of charge training video
- High accuracy 98.6%
- 25/box, 1000/case.



**Code: TS 6100**

Tecs@fe Global type 5/6 category III hooded disposable classic coverall to EN14126, EN1149, EN13982 and EN13034. 100/case, 800/pallet.

# TECS@FE GLOBAL PPE & MEDICAL

## TECS@FE GLOBAL NITRILE GLOVES



### Code: TS 6900

Tecs@fe Global nitrile disposable powder free gloves to EN374 and EN455 AQL 1-5.

## TECS@FE GLOBAL THERMOMETER



### Code: TS 6800

Tecs@fe Global non contact thermometer to EN60601-1.

## TECS@FE GLOBAL ALCOHOL FREE 200ML HAND SANITISER

### Code: TS 5600

Tecs@fe Global 200ml pump top foaming alcohol free hand sanitiser, non flammable, non irritant, food safe, killing 99.9999% of bacteria in 30 seconds. Effective for up to 6 hours. 100% biodegradable to BSEN1275, BSEN1276, BSEN1500, BSEN1650, BSEN1656, BSEN13623, BSEN13097, BSEN13704, BSEN13727, BSEN14248, BSEN14348 and BSEN14476.



## TECS@FE GLOBAL SCREEN



### Code: TS 6700

Tecs@fe Global modular flat pack quick assemble 1200 x 700mm freestanding desk screen.

## TECS@FE GLOBAL ALCOHOL FREE 5L HAND SANITISER REFILL



### Code: TS 5700

Tecs@fe Global 5 litre alcohol free hand sanitising fluid refill for TS 5600. Case of 4, pallet of 160.

## TECS@FE GLOBAL ALCOHOL GEL 5L HAND SANITISER



### Code: TS 5500

Tecs@fe Global 5 litre 70% hand sanitising alcohol gel to BSEN1276 and BSEN1500, killing 99.9% of bacteria. Case of 4, pallet of 160.

## TECS@FE GLOBAL DISPENSER PUMP



### Code: TS 5900

Tecs@fe Global dispenser pump to fit 5 litre.

## TECS@FE GLOBAL HAND PROTECTION



### TECS@FE GLOBAL POLYURETHANE GLOVES



Code: **TS 7000**

Tecs@fe Global black polyurethane palm coating on red knitted polyester liner. 12/pack, 144/case.

### TECS@FE GLOBAL LATEX GLOVES



Code: **TS 7300**

Tecs@fe Global black latex palm coating on red knitted polyester liner. 12/pack, 144/case.

### TECS@FE GLOBAL CUT RESISTANT POLYURETHANE GLOVES



Code: **TS 7500**

Tecs@fe Global black polyurethane palm coating on green knitted cut resistant liner. 12/pack, 144/case.

### TECS@FE GLOBAL NITRILE GLOVES



Code: **TS 7200**

Tecs@fe Global black nitrile palm coating on red knitted polyester liner. 12/pack, 144/case.

### TECS@FE GLOBAL FULLY COATED LATEX GLOVES



Code: **TS 7400**

Tecs@fe Global black latex palm coating on smooth full coating on knitted red polyester liner. 12/pack, 144/case.

### TECS@FE GLOBAL CUT RESISTANT SEMI-FINGERLESS POLYURETHANE GLOVES



Code: **TS 7600**

Tecs@fe Global black polyurethane palm coating on green semi fingerless knitted cut resistant liner. 12/pack, 144/case.



[www.technicalsaftyproducts.com](http://www.technicalsaftyproducts.com)





**www.technicalsaftyproducts.com**

info@technicalsaftyproducts.com | ☎ +44 (0) 1952 292 782

**TOOL@RREST**  
THE DROP STOPS HERE

**FALL@RREST**  
THE DROP STOPS HERE

**TECS@FE**  
THE PROTECTION STARTS HERE

